

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) In a computer network including a server computer having a first storage device for storing a first plurality of web pages, a second storage device for storing a second plurality of web pages linked to the first plurality of web pages, the server computer in communication with a third storage device for storing a third plurality of web pages linked to the first plurality of web pages, a method for efficiently storing web pages for quick downloading at a remote device, the method comprising:

receiving a first signal from the remote device at the server computer indicating selection of one of the first plurality of web pages;

transferring all of the second plurality of web pages that are linked to the selected one of the first plurality of web pages from the second storage device to the first storage device in response to the first signal;

transmitting a second signal from the second storage device to the third storage device in response to the first signal; and

transferring all of the third plurality of web pages that are linked to the selected one of the first plurality of web pages from the third storage device to the second storage device in response to the second signal so that anticipated web pages linked to any web pages selected by the remote device are quickly accessible by the remote device.

2. (Original) The method of claim 1 wherein transferring all of the second plurality of web pages includes deleting each of the non-selected first plurality of web pages in the first storage device and wherein transferring all of the third plurality of web pages includes deleting each of the non-selected second plurality of web pages in the second storage device.

3. (Original) The method of claim 1 wherein storing the second plurality of web pages linked to the first plurality of web pages includes:

determining one of an average size and a minimum size of each web page linked to each of the first plurality of web pages; and

determining a reaction time of a client operating the remote device.

4. (Original) The method of claim 3 further comprising:

determining an average propagation delay between the client and the web server;

determining an average link bandwidth between the client and the server; and

determining a time to access a partition in the storage device.

5. (Original) The method of claim 1 wherein storing the third plurality of web pages includes storing the third plurality of web pages at a horizontal partition boundary.

6. (Original) The method of claim 1 wherein storing the third plurality of web pages includes storing the third plurality of web pages at a vertical partition boundary.

7. (Original) A system for providing quick downloading of web pages at a remote device, the system comprising:

a server computer;

a first storage device in communication with the server computer for storing a first plurality of web pages and for receiving a first signal from the remote device indicating selection of one of the first plurality of web pages;

a second storage device in communication with the first storage device, the second storage device for storing a second plurality of web pages linked to the first plurality of web pages and for transferring all of the second plurality of web pages that are linked to the selected one of the first plurality of web pages to the first storage device in response to the first signal, the second storage device further for transmitting a second signal in response to the first signal; and

a third storage device in communication with the first storage device, the third storage device for storing a third plurality of web pages linked to the first plurality of web pages and for transferring all of the third plurality of web pages that are linked to the selected

one of the first plurality of web pages to the second storage device in response to the second signal so that anticipated web pages linked to any web pages selected by the remote device are quickly accessible by the remote device.

8. (Original) The system of claim 7 wherein the first storage device is further operative to delete each of the non-selected first plurality of web pages in response to the first signal, and wherein the second storage device is further operative to delete each of the non-selected second plurality of web pages in response to the second signal.

9. (Original) The system of claim 7 wherein the second storage device, in storing the second plurality of web pages linked to the first plurality of web pages, stores the second plurality of web pages based on one of an average size and a minimum size of each web page linked to each of the first plurality of web pages and a reaction time of a client operating the remote device.

10. (Original) The system of claim 9 wherein the second storage device is further operative to store the second plurality of web pages based on an average propagation delay between the client and the server, an average link bandwidth between the client and the server, and an access time to access a partition in the storage device.

11. (Original) The system of claim 7 wherein the third storage device, in storing the third plurality of web pages, is operative to store the third plurality utilizing a horizontal partition boundary.

12. (Original) The system of claim 7 wherein the third storage device, in storing the third plurality of web pages, is operative to store the third plurality utilizing a vertical partition boundary.

13.-44. (Canceled)